22B2DA

Modern and sleek 21.5" 3-sides borderless monitor with Full HD and eye-caring LowBlue and FlickerFree technology

Modernized design and crisp Full HD images. The 22B2DA combines a sleek 3-sides frameless panel and VGA, DVI and HDMI connectivity. Enjoy working or streaming with wide viewing angles and eye-soothing LowBlue and FlickerFree technologies.

功能特点

三邊超窄 邊框設計
超窄邊框的設計提供更舒適的觀看感受，同時還能節省空間，且適用於多顯示器拼接，大幅提升視覺體驗。

Full HD 解析度
採用Full HD 1920 x 1080 解析度，讓您不管在工作或是家用娛樂，都能感受優異的成像效能與清晰的畫面。

VA 廣視角面板
體驗任何角度觀看均呈現清新亮麗且完整的色彩，呈現色彩一致性和實際原色的逼真鮮活畫面。

HDMI
目前的遊戲機、GPU、機頂盒都支援HDMI（高清多媒體接口），支援HDCP數字內容保護系統。 HDMI 1.3-1.4b 版本支援最高 144 Hz 更新頻率@1080p 和 75 Hz@1440p，而 HDMI 2.0-2.0b 版本支援 240Hz@1080p、144Hz@1440p 和 60 Hz@2160p (4K)。

淨藍光功能 有效減少藍光
長時間接觸藍光可能會導致眼睛疲勞、睡眠障礙或頭痛，淨藍光功能藉由控制色溫，有效減少有害的藍光光波。

護眼的不閃屏技術
多數LED螢幕使用 PWM (Pulse Width Modulation)脈衝寬度調變技術調光以掌控亮度，但此脈衝技術易產生閃爍情況，尤其在昏暗微光環境中，更易造成頭疼和眼睛疲勞損傷等不舒適狀況。不閃屏技術則是用運順暢的DC直流背光系統，藉由強化電壓以降低閃爍頻率，提供消費者更健康護眼的使用情境。

通用性	
Model Name	22B2DA
Channel	B2C
Product line	Basic-line
Design family	B2
Launch date (ETA)	14/10/2020
EAN	4038986128346

DISPLAY INFORMATION	
Screen size (inch)	21,5
Screen size (cm)	54,61
Flat / Curved	Flat
Display hardness	3H
Panel treatment	Antiglare (AG)
Pixel Pitch (mm)	0,2482
Pixels per Inch	103,0
Panel resolution	1920x1080
Aspect ratio	16:9
Panel type	VA
Backlight type	WLED
Max Refresh rate	75 Hz
Response time GtG	4 ms
Static contrast ratio	3000:1
Dynamic contrast ratio	20M:1
Viewing angle (CR10)	178/178
Display colours	16.7 Million
Brightness in nits	250 cd/m²

VIDEO FEATURES	
Sync technology (VRR)	Adaptive Sync
Blue Light Technology	Low Blue Light
Colour space (sRGB) CIE 1931 %	98,0
Colour space (Adobe RGB) CIE 1931 %	77,0
Flicker-Free	Flicker Free

CABINET INFORMATION	
Bezel Colour (front)	Black
Cabinet colour (backside)	Black
Cabinet finishing (backside)	Texture
Removable stand	是的
Speaker power	2 W x 2
Kensington Lock	是的
Vesa wallmount	100x100

人体工学	
Tilt	-5/21,5
Pivot	No

可持续性	
Energy star	Energy star 8
WEEE	是的
REACH compliant	是的
RoHs compliant	是的
HF	是的
Mercury free	是的
Recycable packaging material	100 % recycable

POWER CONSUMPTION	
Power supply	External
Power consumption standby in watts	0,3
Power consumption off in watts	0,3
Energy class	E

REGULATORY COMPLIANCE	
CB	是的
CE	是的
TUV-GS-Mark	是的
ISO 9241-307	是的
EAC	是的
FCC	是的
Microsoft WHQL	是的

CONNECTIVITY INFORMATION	
HDMI	HDMI 1.4 x 1
Audio Output	Headphone out (3.5mm)
D-SUB (VGA)	1x
DVI	1x DVI-D

產品尺寸	
Product dimensions incl. base (WxHxD) mm	388.11(H) x 492.78(W) x 162.94(D)
Product dimensions excl. base (WxHxD) mm	292.68(H) x 492.78(W) x 36.2(D)
Packaging dimensions (WxHxD) mm	370(H) x 550(W) x 120(D)
Gross weight incl. package (in kg)	3,5
Net weight excl. package (in kg)	2,1

包装盒内容	
HDMI cable	1.8
Power cable C13	1.8

OTHER INFORMATION	
Warranty period	3 years