

AGON
BY AOC

讓勝利更顯輝煌

POWERED BY

AG275UXM2




讓勝利更添榮耀！AG275UXM2 是一款全新推出的 27 吋電競顯示器，擁有 UHD 3840 x 2160 解像度、MINI-LED 1152 分區背光、165Hz 刷新率、1ms 超快響應時間、Fast IPS 技術、DisplayHDR 1000、Adaptive Sync、Light FX 燈效，以及可調式支架 (HAS)！Adaptive Sync 技術讓你在幾乎任何幀率下都能享受流暢、無撕裂的遊戲畫面。配合超快刷新率和極速響應時間，帶來超流暢而清晰的視覺效果，杜絕畫面模糊，讓你在任何時刻作好準備 - 迎接勝利！立即升級你的遊戲體驗，感受無與倫比的流暢操作，讓每場戰鬥都成為你的榮耀時刻！

- 超高清（4K）分辯率
- **DFM 雙模式顯示技術**：
UHD@160Hz / FHD@320Hz 顯示器
- 真實色彩，躍然眼前
- **0.3ms** 極速 反應時間

超高清（4K）分辯率

憑藉3840 x 2160點數的4K超高清分辯率（全高清顯示幕分辯率的四倍），該顯示器擁有點數密度，可提供具有最精細細節的清晰影像。



DFM 雙模式顯示技術： UHD@160Hz / FHD@320Hz 顯示器

AOC 顯示器配備 DFM 雙模式顯示技術 (Dual Frame Mode)，帶來前所未有的靈活性，讓玩家可按需要自由切換顯示模式。在 UHD 3840 × 2160 解像度下，可享受高達 160Hz 的流暢刷新率，呈現銳利細緻、色彩鮮明且流暢順滑的畫面，無論沉浸式遊戲、高解像度內容創作或影院級娛樂體驗，都能以出色的清晰度與反應速度呈現每個細節。切換至 Full HD 解像度，更可將刷新率提升至極速 320Hz，全面釋放競技表現。專為競技玩家而設，帶來極致流暢的動態畫面、銳利清晰的視覺效果及極低輸入延遲，讓你憑藉更快速度與精準操控，在每一幀畫面中搶佔先機。

真實色彩，躍然眼前

VESA Certified DisplayHDR 1400 帶來截然不同的視覺體驗。憑藉局部調光技術及高達 1400 nits 的超高峰值亮度，明亮細節更耀眼突出，同時呈現更深邃、更自然的黑色層次，令影像栩栩如生。更廣闊豐富的色彩表現，呈現細膩而鮮明的色彩層次，打造更具臨場感的沉浸式視覺體驗。



0.3MS 極速 反應時間

0.3ms 極速反應時間，讓畫面的一舉一動變得清晰無比，盡情享受超順暢的遊戲畫面。

通用性		VIDEO FEATURES		POWER CONSUMPTION	
Model Name	AG275UXM2	HDR (High Dynamic Range)	VESA Certified DisplayHDR™ 1400	Power supply	External
Brand	AOC			Power consumption on (typical) in watts	47,0
Channel	Gaming	Multiview (PbP, PiP)	PiP+PbP	Power consumption standby in watts	0,5
產品線	AGON	Flicker-Free	Flicker Free	Power consumption off in watts	0,3
Design family	AG5	KVM	Yes		
DISPLAY INFORMATION		CABINET INFORMATION		REGULATORY COMPLIANCE	
螢幕大小 (英吋)	27,0	Cabinet colour (backside)	Grey, Black	CE	是的
平面/彎曲	Flat	Removable stand	是的	FCC	是的
Curvature Radius	Flat	Built-in speakers fire direction	NA		
Panel treatment	Antiglare (AG)	Kensington Lock	是的		
Pixel Pitch (mm)	0,1554	Vesa wallmount	100x100		
Pixels per Inch	163,0	MonitorWebcam	No		
面板解析度	3840x2160	人体工学		CONNECTIVITY INFORMATION	
Aspect ratio	16:9	Tilt	-3° ±2° ~ 21° ±2°	HDMI	HDMI 2.1 x 2
Panel type	IPS	Height adjust (mm)	150mm	Digital HDCP (HDMI version)	HDCP 1.4/2.2
背光類型	WLED	Swivel	20° ±2° ~ 20° ±2°	DisplayPort	DisplayPort 1.4 x 1
Max 重新整理的頻率	320 Hz	Pivot	90° ±2° ~ 90° ±2°	USB Hub	是的
回應時間 GtG	5 ms	可持續性		Audio Output	1x Audio out
Response time MPRT	0.3 ms	TCO Certified	No	USB-C connectivity	Yes
Static contrast ratio	1000:1	RoHs compliant	是的	DisplayPort output	0x
Dynamic contrast ratio	80M:1	CEC	是的	DP HDCP version	HDCP 1.4/2.2
Viewing angle (CR10)	178/178	Carton material	Paper	mini USB (for external keypad)	No
Display colours	1.07B - 10 bit (8 bit + FRC)	Carton material print	Color Print	USB Type upstream	1 x USB3.2 type B Gen 1, 5 Gbit/s
Brightness in nits	SDR : 600 cd/m² / HDR ON: 1200 cd/m² / HDR peak : 1650 cd/m²			USB generation	USB 3.2 (Gen 2)
Local Dimming Zones	Local Dimming 2304 zone			D-SUB (VGA)	0x
				DVI	0x
				RJ45	No

產品尺寸

Product dimensions incl. base (WxHxD) mm	613.4 × 422.8~561.1 × 234.5
Product dimensions excl. base (WxHxD) mm	613.4 × 365.8 × 58.8
Packaging dimensions (WxHxD) mm	840 × 445 × 161
Gross weight incl. package (in kg)	10,12
Net weight excl. package (in kg)	6,77
Product without stand (kg)	5,29

OTHER INFORMATION

MTBF	30.000 hours
------	--------------

⚡ 法律聲明

The monitor may appear different from the feature image. The products, accessories, cable(s) supplied with the product may vary in type, quantity, and/or specifications in line with country- or region-specific requirements. Specifications are subject to change without notice. The above functionality may vary depending on the user's actual usage conditions. This product is sold with a limited manufacturer's warranty. Please refer to the warranty terms for coverage details. All Rights reserved.