

AGON
BY AOC

提升你的遊戲水平

POWERED BY

AG405UXC



1ms



G-MENU



LOW INPUT LAG



ADJUSTABLE
STAND




AGON AG405UXC 是一款 40 吋 WQHD 遊戲顯示器，配備 IPS 面板、144Hz 更新率、超快 1ms MPRT 和低輸入延遲，確保您始終處於遊戲領先地位。VESA Display HDR400 確保豐富的色彩沉浸感，在最嚴苛的遊戲過程中為您提供支援。AG405UXC 的 USB-C 提供 90W 的功率輸出和高度可調式支架，讓您在表演時保持舒適和井井有條。

- **UltraWide QHD** 高解析度
- **IPS** 廣視角面板
- **Adaptive Sync** 告別撕裂卡頓
- **DisplayHDR™ 400**
- 功率輸出 **90W**
- 高度可調支架

ULTRAWIDE QHD 高解析度

WQHD (3440x1440) 超高解析度，提供使用者出色的畫面品質，相較於傳統的16：9 比例，21：9具有更寬廣的全景畫面，可同時顯示多個視窗，創造高效的使用情境，桌面就是你的專業工作站。





IPS 廣視角面板

可視角度達到178°，讓使用者在任何角度觀看均呈現清新亮麗且完整的畫面，同時展現色彩一致性，以實際原色呈現逼真鮮活的畫面。

ADAPTIVE SYNC 告別撕裂卡頓

同步處理 GPU 與顯示器間的訊號，就緒時才會顯示影格內容；提供順暢的視覺體驗，不會再有畫面撕裂或間斷的情況。



DISPLAYHDR™ 400

符合VESA（影片電子標準協會）規範Display HDR 400 等級，同時HDR(高動態範圍)較一般SDR(標準動態範圍)所顯示的色彩與對比更趨近真實。畫面表現暗處更暗；明處更明，色域更加寬廣出色，讓玩家享受遊戲中每個生動畫面的視覺震撼。

功率输出 90W

USB-C 是一项新兴技术，可实现快速数据传输、显示信号和电力传输，以便在工作时为您的设备充电。通过一根纤细的电缆，AOC USB-C 技术可提供高达 90W 的功率，为传统的低/高功率设备（如鼠标或键盘）、智能手机和笔记本电脑充电。



高度可调支架

升高或降低屏幕以适应每个人的身高和座位偏好。易于调节的支架确保数小时的舒适度。

通用性		VIDEO FEATURES		CABINET INFORMATION	
Model Name	AG405UXC	Sync technology (VRR)	Adaptive Sync	Bezel Colour (front)	黑色
Brand	AOC	AMD FreeSync™	AMD FreeSync Premium	Cabinet colour (backside)	Black
Channel	Gaming	Digital Signal Frequency Vertical	48-120Hz (HDMI) 48-144Hz (DP/USB-C)	Cabinet finishing (backside)	Texture
Product line	AGON	Digital Signal Frequency Horizontal	30k-160kHz(HDMI) 30k-220kHz(DP/USB C)	Removable stand	是的
Design family	AG5	HDR (High Dynamic Range)	VESA Certified DisplayHDR™ 400	Speaker power	5 W x 2
Launch date (ETA)	15/6/2023	Blue Light Technology	Low Blue Light	Kensington Lock	是的
EAN	4038986111294	Multiview (PbP, PiP)	PbP, PiP	Vesa wallmount	100x100
DISPLAY INFORMATION		Colour space (sRGB) CIE 1931 %	100,0	人体工学	
Screen size (inch)	40,0	Colour space (sRGB) CIE 1976 %	99,6	Tilt	-3,5° ±1,5° ~ 21,5° ±1,5°
Screen size (cm)	100,0	Colour space (DCI-P3) CIE 1931 %	89,5	Height adjust (mm)	150mm
Curvature Radius	Flat	Colour space (DCI-P3) CIE 1976 %	93,4	Swivel	-30° ±2° ~ 30° ±2°
Display hardness	3H	Colour space (Adobe RGB) CIE 1931 %	82,7	游戏功能	
Panel treatment	Antiglare (AG)	Colour space (Adobe RGB) CIE 1976 %	89,5	Gaming convenience	G-menu
Pixel Pitch (mm)	0,26925	Flicker-Free	Flicker Free	可持续性	
Pixels per Inch	93,2	KVM	1x USB3.2 Gen 2 type C + 1x type B	Carton material	EPS
Panel resolution	3440x1440			POWER CONSUMPTION	
Aspect ratio	21:9			Power supply	Internal
Panel type	IPS			Power consumption on (typical) in watts	45,0
Backlight type	WLED			Power consumption standby in watts	0,5
Max Refresh rate	144 Hz			Power consumption off in watts	0,3
Response time GtG	4 ms			Energy class	G
Response time MPRT	1 ms			REGULATORY COMPLIANCE	
Static contrast ratio	1200:1			CB	是的
Dynamic contrast ratio	80M:1			EAC	是的
Viewing angle (CR10)	178/178				
Display colours	16.7 Million				
Brightness in nits	350 cd/m²				

CONNECTIVITY INFORMATION

HDMI	HDMI 2.0 x 2
Digital HDCP (HDMI version)	HDCP 2.2
DisplayPort	DisplayPort 1.4 x 1
USB Hub	是的
USB type downstream	4
USB fast charge port	是的
Audio Output	耳機 (3.5mm)
mini USB (for external keypad)	1x
USB Type upstream	1 x USB3.2 type B Gen 1, 5 Gbit/s
USB generation	USB 3.2 (Gen 1) (4 USB downstream ports) 5Gbit

包装盒内容

HDMI cable	1.8
Displayport cable	1.8
Power Cable	是的

產品尺寸

Product dimensions incl. base (WxHxD) mm	944.1 x (477.7~627.7) x 312.4
Product dimensions excl. base (WxHxD) mm	944.1 x 419.3 x 54.5
Packaging dimensions (WxHxD) mm	1133 x 552 x 225
Gross weight incl. package (in kg)	16,32
Net weight excl. package (in kg)	11,88
Product without stand (kg)	9,53

⚡ 法律聲明

The monitor may appear different from the feature image. The products, accessories, cable(s) supplied with the product may vary in type, quantity, and/or specifications in line with country- or region-specific requirements. Specifications are subject to change without notice. The above functionality may vary depending on the user's actual usage conditions. This product is sold with a limited manufacturer's warranty. Please refer to the warranty terms for coverage details. All Rights reserved.