

## Produktivitet, tilkobling og komfort i en kurvet 1500R 34" ultrabred QHD-skjerm

Profesjonelle brukere som ser etter gode tilkoblingsmuligheter, trenger ikke å se lenger enn til CU34P2C. Modellen er utstyrt med en kurvet 1500R 34" VA/3FL-skjerm med 21:9 ultravid QHD-oppløsning og 300 cd/m2 lysstyrke. De rike og innovative funksjonene inkluderer vide visningsvinkler på 178°/178°, HDMI- og DP-kompatibilitet, USB-C, en USB 3.2-hub og automatisk kildeinndata.



## Features


### VA panelet

VA (Vertical Alignment) panelet viser dypere svart og en høy kontrast for ekstra livaktige skarpe bilder.



### USB-C

Forenkler kontakten med bare én kabel. USB-C-kontakten gir DisplayPort Alternate Mode for å overføre videosignaler i høy oppløsning fra en notebook til skjermen mens den samtidig lader notebookens batteri fra skjermen, med USB-strømforsyning.




### USB Hub

Innebygde USB-huber i AOC-monitorene gjør den enkel og praktisk å bruke på skrivebordet. Sidemonterte porter er lett å nå selv uten å se på dem, du sparer tid på å lete på baksiden av PC-en for å finne en ledig USB-port.



### Ergonomisk

Føl komforten! AOCs stativer med justerbar høyde, tilt og rotasjon hjelper deg å finne den mest komfortable og sunneste posisjonen.



### Integrerte høyttalere

Innebygde høyttalere gjør det lett å holde kontakten med familien, venner og kolleger. For filmer, spill og mer, du vil ha glede av samme lyd-kvalitet uten bryet med å måtte koble til eksterne høyttalere.



### 1500R kurvatur

Buet design omslutter deg i senter av handlingen, og gir en fordypende gaming-opplevelse.

| GENERAL           |               |
|-------------------|---------------|
| Model Name        | CU34P2C       |
| Channel           | B2B           |
| Product line      | Pro-line      |
| Design family     | P2            |
| Launch date (ETA) | 01.07.2020    |
| EAN               | 4038986110105 |

| DISPLAY INFORMATION    |                       |
|------------------------|-----------------------|
| Screen size (inch)     | 34,0                  |
| Screen size (cm)       | 86,36                 |
| Flat / Curved          | Curved                |
| Curvature Radius       | 1500R                 |
| Display hardness       | 3H                    |
| Panel treatment        | Antiglare (AG)        |
| Pixel Pitch (mm)       | 0,2745                |
| Pixels per Inch        | 109,7                 |
| Panel resolution       | 3440x1440             |
| Aspect ratio           | 21:9                  |
| Panel type             | VA                    |
| Backlight type         | WLED                  |
| Max Refresh rate       | 100 Hz                |
| Response time GtG      | 4 ms                  |
| Response time MPRT     | 1 ms                  |
| Static contrast ratio  | 3000:1                |
| Dynamic contrast ratio | 50M:1                 |
| Viewing angle (CR10)   | 178/178               |
| Display colours        | 16.7 Million          |
| Brightness in nits     | 300 cd/m <sup>2</sup> |

| VIDEO FEATURES                      |                                    |
|-------------------------------------|------------------------------------|
| Sync technology (VRR)               | Adaptive Sync                      |
| Blue Light Technology               | Low Blue Light                     |
| Multiview (PbP, PiP)                | PbP, PiP                           |
| Colour space (sRGB) CIE 1931 %      | 120,0                              |
| Colour space (Adobe RGB) CIE 1931 % | 89,0                               |
| Flicker-Free                        | Flicker Free                       |
| KVM                                 | 1x USB3.2 Gen 2 type C + 1x type B |

| CABINET INFORMATION          |         |
|------------------------------|---------|
| Bezel Colour (front)         | Black   |
| Cabinet colour (backside)    | Black   |
| Cabinet finishing (backside) | Texture |
| Removable stand              | Ja      |
| Speaker power                | 3 W x 2 |
| Kensington Lock              | Ja      |
| Vesa wallmount               | 100x100 |

| ERGONOMICS         |          |
|--------------------|----------|
| Tilt               | -5/23    |
| Height adjust (mm) | 150mm    |
| Swivel             | -180/180 |
| Pivot              | No       |

| SUSTAINABILITY                |                 |
|-------------------------------|-----------------|
| TCO Certified                 | 8               |
| Energy star                   | Energy star 8   |
| EPEAT                         | Silver          |
| WEEE                          | Ja              |
| REACH compliant               | Ja              |
| RoHs compliant                | Ja              |
| HF                            | Ja              |
| Mercury free                  | Ja              |
| Recyclable packaging material | 100 % recycable |

| POWER CONSUMPTION                                       |          |
|---|----------|
| Power supply  | Internal |
| Power consumption on (Energy star test method) in watts | 55,0     |
| Power consumption standby in watts                      | 0,5      |
| Power consumption off in watts                          | 0,3      |
| Energy class  | G        |

| REGULATORY COMPLIANCE |    |
|-----------------------|----|
| CB                    | Ja |
| CE                    | Ja |
| Microsoft WHQL        | Ja |

## CONNECTIVITY INFORMATION

|                             |  |
|-----------------------------|--|
| <b>HDMI</b>                 | HDMI 2.0 x 1                                   |
| <b>DisplayPort</b>          | DisplayPort 1.2 x 1                            |
| <b>USB Hub</b>              | Ja   |
| <b>USB type downstream</b>  | 4  |
| <b>USB fast charge port</b> | Ja   |
| <b>Audio Output</b>         | Headphone out (3.5mm)                          |
| <b>USB-generasjon</b>       | USB 3.2 (Gen 1) (4 USB downstream ports) 5Gbit |

## PRODUCT DIMENSIONS

|   |                                   |
|---|-----------------------------------|
| <b>Product dimensions incl. base (WxHxD) mm</b> | 611.53(H) x 808.34(W) x 275.13(D) |
| <b>Product dimensions excl. base (WxHxD) mm</b> | 367.45(H) x 808.34(W) x 100.14(D) |
| <b>Packaging dimensions (WxHxD) mm</b>          | 527(H) x 903(W) x 250(D)          |
| <b>Gross weight incl. package (in kg)</b>       | 12,7                              |
| <b>Produkt med stativ (kg)</b>                  | 9,8                               |

## WHAT'S IN THE BOX

|                          |     |
|--------------------------|-----|
| <b>HDMI cable</b>        | 1.8 |
| <b>Displayport cable</b> | 1.8 |
| <b>Power cable C13</b>   | 1.8 |

## OTHER INFORMATION

|                        |         |
|------------------------|---------|
| <b>Warranty period</b> | 3 years |
|------------------------|---------|