

Komfort, kvalitet og produktivitet i en 31,5" QHD-skjerm

Q32P2 kommer med et flatt 31,5" IPS-panel med QHD-oppløsning. Skjermen er perfekt for profesjonelle og hjemmekontorer, og gir maksimal komfort og produktivitet takket være en 180° svingradius, Low Blue Light-teknologi og en USB-hub.



Features




QHD oppløsning

Med 2560 x 1440 oppløsning, Quad HD (QHD) tilbyr overlegen bildekvalitet og bildeskarpheit som viser de fineste detaljene. Widescreen 16:9 bildeforhold gir masse plass til å spre seg utover og jobbe, pluss lar deg nyte spill eller filmer i original størrelse.



Ergonomisk

Føl komforten! AOCs stativer med justerbar høyde, tilt og rotasjon hjelper deg å finne den mest komfortable og sunneste posisjonen.




IPS panelet

IPS-panelet gir deg en perfekt seeropplevelse med livaktige, samt utrolige og nøyaktige farger. Fargene ser like ut uansett hvilken vinkel du ser på skjermen fra.



Dreifunksjonen

Takket være dreiefunksjonen kan skjermen roteres 180° fra liggende til stående, noe som er spesielt nyttig i desktop publishing. En virkelig nyttig nyhet er at alle ledningene tilkoblet sk



Integrerte høyttalere

Innebygde høyttalere gjør det lett å holde kontakten med familien, venner og kolleger. For filmer, spill og mer, du vil ha glede av samme lyd-kvalitet uten bryet med å måtte koble til eksterne høyttalere.



Bærekraft

Hos AOC ønsker vi å minimere produktens miljøpåvirkning og overholde gjeldende miljøstandarder. Forretningsskjermene våre overholder EPEAT-, TCO- og Energy Star-kravene, og er laget av 85 % gjenvunnet plast. De er også pakket i gjenvinnbar brun papp med mindre oljebasert blekk og laget av minst 80 % gjenvunnet papir. Disse tiltakene er bare begynnelsen, og vi fortsetter å forbedre produktutviklingstrinnene for å redusere energiforbruket, minimere mengden avfall fra produktemballasje og styrke sirkulære modeller. Se siden Bedriftens samfunnsansvar for å lære mer om vår bærekraftsstrategi.

GENERAL	
Model Name	Q32P2
Channel	B2B
Product line	Pro-line
Design family	P2
Launch date (ETA)	15.02.2021
EAN	4038986118170

DISPLAY INFORMATION	
Screen size (inch)	31,5
Screen size (cm)	80,01
Flat / Curved	Flat
Display hardness	3H
Panel treatment	Antiglare (AG)
Pixel Pitch (mm)	0,2737
Panel resolution	2560x1440
Aspect ratio	16:9
Panel type	IPS
Backlight type	WLED
Max Refresh rate	75 Hz
Response time GtG	4 ms
Static contrast ratio	1000:1
Dynamic contrast ratio	50M:1
Viewing angle (CR10)	178/178
Display colours	1.07 Billion
Brightness in nits	250 cd/m ²

VIDEO FEATURES	
Sync technology (VRR)	Adaptive Sync
Blue Light Technology	Low Blue Light
Colour space (sRGB) CIE 1931 %	102,0
Colour space (Adobe RGB) CIE 1931 %	75,0
Flicker-Free	Flicker Free

CABINET INFORMATION	
Bezel Colour (front)	Black
Cabinet colour (backside)	Black
Cabinet finishing (backside)	Texture
Removable stand	Ja
Speaker power	3 W x 2
Kensington Lock	Ja
Vesa wallmount	100x100

ERGONOMICS	
Tilt	-5/21
Height adjust (mm)	150mm
Swivel	-180/180
Pivot	Yes

SUSTAINABILITY	
TCO Certified	No
ECMA Eco declaration	Ja
WEEE	Ja
REACH compliant	Ja
RoHs compliant	Ja
PVC/BFR free housing	Ja
Mercury free	Ja
Recyclable packaging material	100 % recycable
Carton material	EPS
Carton material print	Water Print (Brown Carton)

POWER CONSUMPTION	
Power supply	Internal
Power consumption on (typical) in watts	35,0
Power consumption standby in watts	0,5
Power consumption off in watts	0,3
Energy class	F

REGULATORY COMPLIANCE	
CB	Ja
Microsoft WHQL	Ja

CONNECTIVITY INFORMATION

HDMI	HDMI 1.4 x 2
DisplayPort	DisplayPort 1.2 x 1
USB Hub	Ja
USB type downstream	4
USB fast charge port	Ja
Audio Output	Headphone out (3.5mm)
USB-generasjon	USB 3.2 (Gen 1) (4 USB downstream ports) 5Gbit

PRODUCT DIMENSIONS

Product dimensions incl. base (WxHxD) mm	730.19 x 650.65 x 275.1
Product dimensions excl. base (WxHxD) mm	730.19 x 434.16 x 57.67
Packaging dimensions (WxHxD) mm	835 x 545 x 225
Gross weight incl. package (in kg)	12,3
Produkt med stativ (kg)	9,5

WHAT'S IN THE BOX

HDMI cable	1.8
Displayport cable	1.8
Power cable C13	1.8

OTHER INFORMATION

Warranty period	3 years
------------------------	---------