Q32P2CA

31.5” productivity-focused monitor with QHD resolution, USB-C with PD and Adaptive Sync

The AOC Q32P2CA ensures an easy, complete, and comfortable productivity for the long hours in front of a screen. It features USB-C with 65W Power Delivery, four USB 3.2, two HDMI ports and a 31.5” IPS panel with wide viewing angles, Clear Vision and QHD resolution. Game-ready, this monitor also offers smooth gameplays thanks to Adaptive Sync technology.



功能特點




USB-C
僅使用一條電纜簡化連接。 USB-C 連接提供 DisplayPort 備用模式，用於將高解析度視訊訊號從筆記型電腦傳輸到顯示器，同時透過 USB 供電從顯示器為筆記型電池充電。此外，USB 3.1 可確保閃電般的資料傳輸，因此即使是傳輸一部 4K 影片也可以在不到一分鐘的時間內完成。



65W 電源輸出
USB-C 為前沿突破性技術，僅需一條纖細的纜線即可實現高速數據傳輸、顯示訊號傳輸及供電功能，讓您在工作時同步為裝置充電。AOC USB-C 技術可提供高達 65W 的供電功率，輕鬆為滑鼠、鍵盤等周邊設備以及智能手機和手提電腦進行充電。



QHD 高解析度
提供QHD (2560 x 1440) 高解析度，讓使用者感受極致精細的畫面品質。



IPS 廣視角面板
可視角度達到178°，讓使用者在任何角度觀看均呈現清新亮麗且完整的畫面，同時展現色彩一致性，以實際原色呈現逼真鮮活的畫面。



全方位人體工學設計
享受舒適體驗！AOC 的升降、俯仰及左右旋轉可調式支架，能助您輕鬆找到最舒適健康的使用姿勢。



垂直旋轉功能（Pivot）
憑藉垂直旋轉功能，顯示器可進行 90°/180° 旋轉，輕鬆由橫向模式切換為縱向模式，對於桌面出版（DTP）及排版工作尤為實用。



可持續發展
在 AOC，我們的目標是儘可能減少產品對環境的影響，並符合最新的環保與法規標準。我們的商用顯示器符合 EPEAT、TCO 及「能源之星」（Energy Star）等認證要求，並採用 85% 再生塑膠製造。包裝方面則採用可完全回收的褐色紙箱，減少使用油性印刷油墨，並含有至少 80% 再生紙成份。這些舉措只是第一步，我們持續優化產品開發階段，以降低能源消耗、最大限度減少包裝廢棄物，並進一步推動循環經濟模式。如欲了解更多我們目前的永續發展策略，請瀏覽企業社會責任（CSR）專頁。



淨藍光功能 有效減少藍光
長時間接觸藍光可能會導致眼睛疲勞、睡眠障礙或頭痛，淨藍光功能藉由控制色溫，有效減少有害的藍光光波。



護眼的不閃屏技術
多數LED螢幕使用 PWM (Pulse Width Modulation)脈衝寬度調變技術調光以掌控亮度，但此脈衝技術易產生閃爍情況，尤其在昏暗微光環境中，更易造成頭疼和眼睛疲勞損傷等不舒適狀況。不閃屏技術則是用運順暢的DC直流背光系統，藉由強化電壓以降低閃爍頻率，提供消費者更健康護眼的使用情境。



喇叭
玩家無需再額外購買喇叭或耳機，就能從顯示器享受高品質的音效體驗。



三年保修
AOC 支持每台顯示器的品質，提供自原始購買之日起的三年保修。在保修期間內，任何存在製造缺陷或故障組件的 AOC 顯示器均可免費維修或更換。

產品規格	
Model Name	Q32P2CA
Channel	B2B
產品線	Pro-line
Design family	P2
EAN	4038986119849

顯示資訊	
螢幕大小 (英吋)	31,5
Screen size (cm)	80,0
平面/彎曲	Flat
Display hardness	3H
Panel treatment	Antiglare (AG)
Pixel Pitch (mm)	0,2727
面板解析度	2560x1440
Aspect ratio	16:9
Panel type	IPS
背光類型	WLED
Max 重新整理的頻率	75 Hz
回應時間 GtG (typical)	4 ms
Static contrast ratio (typical)	1200:1
Dynamic contrast ratio	50M:1
Viewing angle (CR10)	178/178
Display colours	1.07 Billion
Brightness in nits (typical)	250 cd/m²

影像功能	
Sync technology (VRR)	Adaptive Sync
Blue Light Technology	Low Blue Light
Flicker-Free	Flicker Free
KVM	1x USB3.2 Gen 2 type C + 1x type B

機身資訊	
Bezel Colour (front)	黑色
Cabinet colour (backside)	Black
Cabinet finishing (backside)	Texture
Speaker power	3 W x 2
Kensington Lock	是
Vesa wallmount	100x100
MonitorWebcam	No

人體工學資訊	
Tilt	-5/21,5
Height adjust (mm)	150mm
Swivel	-180/180
Pivot	Yes

可持續性	
WEEE	是
HF	是

耗電量	
Power supply	Internal
Power consumption standby in watts	0,5
Power consumption off in watts	0,3
Energy class	F

合規性和標準	
Microsoft WHQL	是

連接資訊	
HDMI	HDMI 1.4 x 2
DisplayPort	DisplayPort 1.2 x 1
USB Hub	是
USB type downstream	4
USB fast charge port	是
Audio Output	耳機（3.5mm）
D-SUB (VGA)	0x
DVI	0x
RJ45	No

產品尺寸	
Product dimensions incl. base (WxHxD) mm	(650.65-501.47)(H) x 730.19(W) x 275.1(D)
Product dimensions excl. base (WxHxD) mm	730.19(W) x 434.16(H) x 57.67(D)
Packaging dimensions (WxHxD) mm	835(W) x 545(H) x 225(D)
Gross weight incl. package (in kg)	12,6
Net weight excl. package (in kg)	9,4

其他資訊	
Warranty period	3 years

⚠ 法律聲明

The monitor may appear different from the feature image. The products, accessories, cable(s) supplied with the product may vary in type, quantity, and/or specifications in line with country- or region-specific requirements. Specifications are subject to change without notice. The above functionality may vary depending on the user's actual usage conditions. This product is sold with a limited manufacturer's warranty. Please refer to the warranty terms for coverage details. All Rights reserved.