

## Slående bildestandard og topp ytelse i en 31,5" UHD-skjerm

U32P2 kommer med et tresidig, rammeløst, flatt, 31,5" VA-panel med UHD-oppløsning. Perfekt for profesjonelle som trenger gode tilkoblingsmuligheter takket være USB-huben og to HDMI 2.0-porter.




## Features



### Ergonomisk

Føl komforten! AOCs stativer med justerbar høyde, tilt og rotasjon hjelper deg å finne den mest komfortable og sunneste posisjonen.



### UHD (4K) oppløsning

Med full 4K UHD-oppløsning med 3840 x 2160 piksler – fire ganger mer enn oppløsningen på en full HD skjerm – viser skjermen en piksel tetthet som gir utrolig skarpe bilder, i ypperste detalj.



### Rammeløst design

I tillegg til å se moderne og attraktiv ut, gjør det rammeløse designet at du kan sette opp flere monitorer ved siden av hverandre, sømløst. Markøren/vinduene vil ikke gå tapt i noe mørkt område mellom rammene når skjermene står side ved side.




### Dreifunksjonen

Takket være dreiefunksjonen kan skjermen roteres 180° fra liggende til stående, noe som er spesielt nyttig i desktop publishing. En virkelig nyttig nyhet er at alle ledningene tilkoblet sk

### VA panelet

VA (Vertical Alignment) panelet viser dypere svart og en høy kontrast for ekstra livaktige skarpe bilder.



### Integreerte høyttalere

Innebygde høyttalere gjør det lett å holde kontakten med familien, venner og kolleger. For filmer, spill og mer, du vil ha glede av samme lyd kvalitet uten bryet med å måtte koble til eksterne høyttalere.

GENERAL	
Model Name	U32P2
Channel	B2B
Product line	Pro-line
Design family	P2
Launch date (ETA)	15.03.2021
EAN	4038986119627

DISPLAY INFORMATION	
Screen size (inch)	31,5
Screen size (cm)	80,01
Flat / Curved	Flat
Display hardness	3H
Panel treatment	Antiglare (AG)
Pixel Pitch (mm)	0,18159
Panel resolution	3840x2160
Aspect ratio	16:9
Panel type	VA
Backlight type	WLED
Max Refresh rate	60 Hz
Response time GtG	4 ms
Static contrast ratio	3000:1
Dynamic contrast ratio	50M:1
Viewing angle (CR10)	178/178
Display colours	16.7 Million
Lysstyrke i nit	350 cd/m <sup>2</sup>

VIDEO FEATURES	
Sync technology (VRR)	Adaptive Sync
Blue Light Technology	Low Blue Light
Multiview (PbP, PiP)	PbP
Colour space (sRGB) CIE 1931 %	119,0
Colour space (Adobe RGB) CIE 1931 %	88,0
Flicker-Free	Flicker Free

CABINET INFORMATION	
Bezel Colour (front)	Black
Cabinet colour (backside)	Black
Cabinet finishing (backside)	Texture
Removable stand	Ja
Speaker power	3 W x 2
Kensington Lock	Ja
Vesa wallmount	100x100

ERGONOMICS	
Tilt	-5/21,5
Height adjust (mm)	150mm
Swivel	-180/180
Pivot	Yes

SUSTAINABILITY	
TCO Certified	No
WEEE	Ja
REACH compliant	Ja
RoHs compliant	Ja
PVC/BFR free housing	Ja
Mercury free	Ja
Recycable packaging material	100 % recycable carton
Recycled packaging material	100 % recycled carton
Carton material	EPS
Carton material print	Water Print (Brown Carton)

POWER CONSUMPTION	
Power supply	Internal
Power consumption on (EnergyStar test method) in watts	52,0
Power consumption standby in watts	0,5
Power consumption off in watts	0,3
Energy class	G

REGULATORY COMPLIANCE	
CB	Ja
Microsoft WHQL	Ja

## CONNECTIVITY INFORMATION

<b>HDMI</b>	HDMI 2.0 x 2
<b>DisplayPort</b>	DisplayPort 1.2 x 1
<b>USB Hub</b>	Ja
<b>USB type downstream</b>	4
<b>USB fast charge port</b>	Ja
<b>Audio Output</b>	Headphone out (3.5mm)
<b>USB-generasjon</b>	USB 3.2 (Gen 1) (4 USB downstream ports) 5Gbit

## PRODUCT DIMENSIONS

<b>Product dimensions incl. base (WxHxD) mm</b>	714.8 x 653.5 x 275.1
<b>Product dimensions excl. base (WxHxD) mm</b>	714.8 x 425.2 x 55.7
<b>Packaging dimensions (WxHxD) mm</b>	810 x 538 x 224
<b>Gross weight incl. package (in kg)</b>	12,5
<b>Produkt med stativ (kg)</b>	10,1

## WHAT'S IN THE BOX

<b>HDMI cable</b>	1.8
<b>Displayport cable</b>	1.8
<b>Power cable C13</b>	1.8

## OTHER INFORMATION

<b>Warranty period</b>	3 years
------------------------	---------

### JURIDISK ANSVARFRASKRIVELSE

Skjermen kan se annerledes ut enn på aktuelle bilder. Produktene, tilbehøret og kabelen(e) som følger med produktet, kan variere i type, antall og/eller spesifikasjoner i henhold til land- eller regionsspesifikke krav. Spesifikasjonene kan endres uten varsel. Funksjonaliteten ovenfor kan variere avhengig av brukerens faktiske bruksforhold. Dette produktet selges med en begrenset produsentgaranti. Se garantivilkårene for detaljer om dekingen. Alle rettigheter forbeholdt.